

déanta







WHITE PRIMED







WALNUT





RED DEAL




DARK GREY ASH / WENGE



CONTENTS

P. 006 - P. 007	THE DEANTA STORY We are not just another door company.	P. 098 - P. 099	GLASS OPTIONS Our range of glass options for our unglazed doors.
P. 008 - P. 009	DOOR ACCESSORIES Our Range of locks, handles and hinges.	P. 100 - P. 105	SKIRTING AND ARCHITRAVI Our range of skirting and architrave in oak, walnut & primed
P. 010 - P. 043	OAK DOORS Our range of oak doors.	P. 106 - P. 110	ACCESSORIES Corner Blocks, door frames, door dividers, window board, heel blocks
P. 044 - P. 069	WHITE PRIMED DOORS Our range of white primed doors.	P. 111 - P. 111	WALL PANELLING Deanta wall panelling
P. 070 - P. 087	WALNUT DOORS Our range of walnut doors.	P .112 - P .113	BEING RESPONSIBLE 98% of all our onsite waste is recycled.
P. 088 - P. 091	DARK GREY ASH & WENGE DOORS Our range of ash and wenge doors.	P. 114 - P. 115	THE DEANTA DIFFERENCE Why Deanta?
P. 092 - P. 093	RED DEAL DOORS Our range of red deal doors.	P. 116 - P. 117	TERMS & CONDITIONS The fine print.
P. 094 - P. 097	FIRE & CONTRACT DOORS Our range of FD30 and contract doors.	P. 118 - P. 119	BESPOKE DOORS Any door, any size.



THE DEANTA STORY

Deanta Doors is a 100% Irish owned company that designs and manufactures its own range of real wood veneered interior doors, frames, skirting and architrave. Our innovative designs have set the standard in modern and contemporary internal doors. We are driven by three simple ideals; delivering a quality product, excellence in customer service and a determination to continue innovating and leading the field in interior doors.

We manufacture and supply to the trade a wide range of beautifully crafted stylish interior doors including oak, walnut and white primed doors along with a selection of FD30 fire doors. Our Fire doors are Certified and manufactured to safety standard BS 476: Part 22: 1987 (Chiltern International certification). All Deanta doors are manufactured to the highest standard with only the finest of materials ensuring you get the best from your contemporary Deanta door.

We truly care about the experience our customers have with us. We welcome feedback and continually strive to deliver unsurpassed customer care. Deanta has over twenty-five years of experience in the building and design industry which we believe is fundamental in creating strong, working relationships with our clients who are suppliers to the construction industry, designers, architects, builders & the general public.

OUR COMMITMENT TO QUALITY

As with the "voice of the customer", customer satisfaction is Deanta's highest priority. We achieve this goal by listening to our customers and by focusing on innovation while continuously improving the cost effectiveness as well as the performance of all our products and processes. Unlike most other Irish door companies, we have our own manufacturing facility. This allows us not only to control our supply chain but quickly respond to customer feedback. With full ownership of the quality control process we seek to ensure every door that leaves our factory is of the very highest standard. Owning the process from production to distribution enables us to be extremely competitive on price, as well as surpassing expectations on service while permitting the flexibility to have doors manufactured to meet your specification.

























- » Real American white oak veneer
- » Crown cut veneer
- » Solid core

- Prefinished
 Contract door option available
 Covered by the Deanta 10 year manufacturers warranty
 Clear/Frosted toughened glass
 Frosted double laminated glass

DOOR DETAIL



GLASS OPTIONS



FINISHES AVAILABLE



HP1GF - FROSTED

OAK

SIZES - CLEAR

HP1GC - CLEAR

2032 x 864 x 44mm	2032 x 864 >
2032 x 813 x 44mm	2032 x 813 >
1981 x 762 x 44mm	1981 x 762 >
1981 x 711 x 44mm	1981 x 711 >
1981 x 660 x 44mm	1981 x 660 >
1981 x 610 x 44mm	1981 x 610 >
1981 x 838 x 44mm	1981 x 838 >

HP1

SIZES - SOLID

SIZES - FROSTED

4 x 44mm	2032 x 864 x 44mm
3 x 44mm	2032 x 813 x 44mm
2 x 44mm	1981 x 762 x 44mm
1 x 44mm	1981 x 711 x 44mm
0 x 44mm	1981 x 660 x 44mm
0 x 44mm	1981 x 610 x 44mm
8 x 44mm	1981 x 838 x 44mm

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core

- Prefinished
 Contract door option available
 30 minute Fire Rated door option available
 Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS





FINISHES AVAILABLE

SIZES - SOLID / FD30 SIZES - CONTRACT

HP12

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



HP16 unglazed in prefinished oak. Featured skirting and architrave - Moulded, oak

FEATURES

OAK

9

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL







SPECIFICATIONS

FINISHES AVAILABLE

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

1981 x 838 x 44mm

UNGLAZED / FD30

HP16G - UNGLAZED

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

HP18 & HP18 unglazed in prefinished oak. Featured skirting and architrave - Shaker, oak

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID / FD30

HP18

2032 x 864 x 44mm	2032 x 864 x 44mn
2032 x 813 x 44mm	2032 x 813 x 44mn
1981 x 762 x 44mm	1981 x 762 x 44mn
1981 x 711 x 44mm	1981 x 711 x 44mn
1981 x 838 x 44mm	1981 x 838 x 44mn

HP18G - UNGLAZED

UNGLAZED / FD30

SIZES - CONTRACT

2032	Χ	864	Χ	44mm
2032	Χ	813	Χ	44mm
1981	Χ	762	Χ	44mm
1981	Χ	711	Χ	44mm
1981	Χ	838	Χ	44mm







- » Real American white oak veneer
- » Crown cut veneer
- » Solid core » Prefinished
- » 30 minute Fire Rated door option available

DOOR DETAIL





SIZES - SOLID / FD30

HP22

2040 x 534 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm


HP21GB - LINE BEVELLED

OAK









» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty





DOOR DETAIL



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



» Real American white oak veneer

- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available » Covered by the Deanta 10 year manufacturers warranty

CL

» Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS



SIZES - SOLID / FD30

HP24

2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm

HP24GC - CLEAR

SIZES - GLAZED CLEAR SIZES - CONTRACT

2032	x 864 x 44mm	
2032	x 813 x 44mm	
1981	x 762 x 44mm	
1981	x 711 x 44mm	
1981	x 838 x 44mm	

OAK

PAGE 019 PAGE 018

NEW FOR 2019

NEW FOR 2019





HP26

NEW FOR 2019



FINISHES AVAILABLE



FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

HP26GC - CLEAR

DOOR DETAIL



GLASS OPTIONS



CL

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Clear toughened glass
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL







GLASS OPTIONS

HP25GC glazed. Featured skirting and architrave - Half Splayed, white primed

FINISHES AVAILABLE

HP25GC - CLEAR

SIZES - GLAZED CLEAR

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

PAGE 020

PAGE 021

SIZES - GLAZED CLEAR

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm





HP32 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL

PAGE 022





SPECIFICATIONS







SIZES - SOLID / FD30





FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID / FD30 SIZES - GLAZED CLEAR

HP33

1981 x 711 x 44mm 1981 x 7	13 x 44mm 62 x 44mm 11 x 44mm 38 x 44mm
----------------------------	--

HP33GC - CLEAR




OAK





4



FEATURES

» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

CL

» Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS





HP34

SIZES - SOLID / FD30 SIZES - CLEAR

HP34GC - CLEAR

m
m
m
m
m
1

1 FEATURES » Crown cut veneer » Solid core » Prefinished



- » Real American white oak veneer

- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID / FD30

FINISHES AVAILABLE

032	Χ	864	Χ	44mm
032	Χ	813	Χ	44mm
981	Χ	762	Χ	44mm
981	Χ	711	Χ	44mm
981	Χ	838	Χ	44mm

SIZES - CONTRACT

HP35

2032 x 864 x 44mm	
2032 x 813 x 44mm	
981 x 762 x 44mm	
981 x 711 x 44mm	
981 x 838 x 44mm	

SIZES - CLEAR

HP35GC - CLEAR

032	x 864	x 44mm	2032
032	x 813	x 44mm	2032
981	x 762	x 44mm	1981
981	x 711	x 44mm	1981
981	x 838	x 44mm	1981

SIZES - FROSTED

HP35GF - FROSTED

OAK

2 x 864 x 44mm 2 x 813 x 44mm 1 x 762 x 44mm x 711 x 44mm 1 x 838 x 44mm

PAGE 025 PAGE 024







- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass. Glazing options see page 98-99

UG BV VE
Unglazed Bevelled Venice

» Line bevelled glass available - see page 98-99

DOOR DETAIL









SPECIFICATIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP38

SIZES - SOLID / FD30 SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP38G - UNGLAZED

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

HP18 & HP18 unglazed in prefinished oak. Featured skirting and architrave - Shaker, oak

» Clear bevelled toughened glass. Glazing options - see page 98-99

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

NM1

FINISHES AVAILABLE

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

NM1GC- CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

NM1G - UNGLAZED

OAK

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



HP38GL - LINE BEVELLED



NM2 in prefinished oak. Featured skirting and architrave - Shaker, white primed

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL



GLASS OPTIONS



UG BV FL LU
Unglazed Bevelled Flora Luma

SIZES - SOLID

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

FINISHES AVAILABLE









NM2G - UNGLAZED

SIZES - UNGLAZED



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

NM20 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

» Glazing options - see page 98-99

DOOR DETAIL




GLASS OPTIONS



UG BV FL LU
Unglazed Bevelled Flora Luma

OAK



FINISHES AVAILABLE



NM20

NM20G - UNGLAZED

SIZES - SOLID


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 029 PAGE 028





NM3

NM3G - UNGLAZED NM3G - LINE BEVELLED

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 610 x 44mm OAK



- » Crown cut veneer
- » Solid core
- » Prefinished

DOOR DETAIL

- » 30 minute Fire Rated door option available
- Covered by the Deanta 10 year manufacturers warrantyGlazing options see page 98-99

GLASS OPTIONS







SPECIFICATIONS

FINISHES AVAILABLE

SIZES - SOLID / FD30

NM4

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

OAK

NM4G - UNGLAZED





FEATURES FINISHES AVAILABLE

» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- Prefinished
 Covered by the Deanta 10 year manufacturers warranty
 Clear/Frosted toughened glass

DOOR DETAIL



GLASS OPTIONS



SIZES - CLEAR

NM6GC - CLEAR


2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

OAK

SIZES - FROSTED

NM6GF - FROSTED





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty


DOOR DETAIL



SIZES - SOLID

NM8

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm



- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass

DOOR DETAIL



GLASS OPTIONS



SIZES - BEVELLED


NM9GB - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

OAK

PAGE 039 PAGE 038





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Line venice glass available (special order) Glazing options see page 98-99

DOOR DETAIL



GLASS OPTIONS

SIZES - SOLID

RB7

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 660 x 44mm





SIZES - UNGLAZED





VR1 in prefinished oak. Featured skirting and architrave - Tudor, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

BV

DOOR DETAIL



GLASS OPTIONS

FINISHES AVAILABLE



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm





VR1





» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL





GLASS OPTIONS





SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

VR4G - UNGLAZED

Flush Oak in prefinished oak. Featured skirting and architrave - Shaker white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID / FD30

FLUSH



PAGE 043 PAGE 042



OAK

PAGE 044





- » Ready for finish-coat
- » Contract door option available

Covered by the Deanta 10 year warranty 30 minute Fire Rated door option available







SIZES - SOLID / FD30

HP12

SIZES - CONTRACT

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 610 x 44mm



 \triangle



FEATURES

» Ready for finish-coat

» Solid core

DOOR DETAIL

GLASS OPTIONS

CL Frosted

- » Clear/Frosted toughened glass
- » Frosted double laminated glass

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

HP1GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 660 x 44mm 1981 x 610 x 44mm

1981 x 838 x 44mm

HP1GF - FROSTED

DOOR DETAIL



GLASS OPTIONS



PRIMED

HP16 unglazed in primed finish. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available
- » Glazing options see page 98-99

FINISHES AVAILABLE



SPECIFICATIONS

SIZES - UNGLAZED / FD30

HP16G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 047 PAGE 046



FEATURES

- » Ready for finish-coat
- » Solid core

- » Clear bevelled toughened glass.

» 30 minute Fire Rated door option available

HP22

HP21G - LINE BEVELLED

DOOR DETAIL



GLASS OPTIONS





SPECIFICATIONS

2032 x 864 x 44mm 2032 x 813 x 44mm

SIZES - SOLID FD30

1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP35 glazed in primed finish. Featured skirting and architrave - Moulded, white primed

GLASS OPTIONS

CL FR

» Ready for finish-coat

» Solid core

FEATURES

- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available » Clear/Frosted toughened glass

FINISHES AVAILABLE



DOOR DETAIL



SPECIFICATIONS



SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 049

PRIMED

9




HP36 in primed finish. Featured skirting and architrave - Georgain, white primed

FEATURES

- » Ready for finish-coat
- » Solid core

DOOR DETAIL

» Covered by the Deanta 10 year warranty




2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP36 - BACK

SIZES - SOLID

1981 x 838 x 44mm



HP37GC - CLEAR HP37GF - FROSTED

SIZES - FROSTED SIZES - CLEAR

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

DOOR DETAIL





GLASS OPTIONS

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm


SIZES - SOLID FD30

2032 x 864 x 44mm

1981 x 838 x 44mm

PAGE 051 PAGE 050

 ∞



FEATURES

» Ready for finish-coat

- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Clear bevelled toughened glass. Glazing options see page 98-99

GLASS OPTIONS

» Line bevelled glass available (special order) - see page 98-99

DOOR DETAIL









SPECIFICATIONS SIZES - SOLID FD30

HP38

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

HP38G - UNGLAZED

HP38GB - LINE BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

RB7 in primed finish. Featured skirting and architrave - Geprgian, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Glazing options see page 98-99

FINISHES AVAILABLE

RB7G - UNGLAZED

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm


PRIMED

2032 x 864 x 44mm

SIZES - UNGLAZED

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

0 ()



FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Glazing options see page 44 (HP1)

DOOR DETAIL



SPECIFICATIONS



SIZES - SOLID

HP39

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 660 x 44mm

SIZES - FD30

1981 x 762 x 44mm 1981 x 660 x 44mm

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Glazing options see page 98-99

NM1 in primed finish. Featured skirting and architrave - Half Splayed, white primed FINISHES AVAILABLE NM1GC - CLEAR NM1G - UNGLAZED

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 055 PAGE 054





GLASS OPTIONS







SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - BEVELLED

PAGE 057

PRIMED

FINISHES AVAILABLE



GLASS OPTIONS

BV Bevelled

NM5

NM5GB - BEVELLED

SIZES - SOLID / FD30 SPECIFICATIONS


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm







- » Ready for finish-coat
- » Solid core
- Covered by the Deanta 10 year warranty
 Clear/Frosted toughened glass



NM6GC - CLEAR

NM6GF - FROSTED

DOOR DETAIL



GLASS OPTIONS



SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PRIMED

6 | N | N



FEATURES

- » Ready for finish-coat
- » Solid core
- » Clear bevelled toughened glass

NM9GB - BEVELLED

DOOR DETAIL

GLASS OPTIONS





SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm


SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 063 PAGE 062




FEATURES

» Ready for finish-coat

- » Solid core

VR2



DOOR DETAIL







SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP16 unglazed in primed finish. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- Covered by the Deanta 10 year warrantyGlazing options see page 98-99

FINISHES AVAILABLE





DOOR DETAIL





GLASS OPTIONS





SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 065 PAGE 064

PRIMED





FINISHES AVAILABLE

SPECIFICATIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

1981 x 838 x 44mm

WR1

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm


WR1G - UNGLAZED

SIZES - SOLID FD30

SIZES - UNGLAZED

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



FEATURES

» Ready for finish-coat


» Solid core

» Glazing options - see page 98-99

WM4

WM4G - UNGLAZED

DOOR DETAIL








2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - SOLID

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



Flush in primed finish. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty» 30 minute Fire Rated door option available

FINISHES AVAILABLE





FLUSH

DOOR DETAIL



SPECIFICATIONS




SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 2032 x 923 x 44mm

PAGE 069 PAGE 068

PRIMED





» Crown cut veneer


- » Solid core
- » Prefinished
- » Contract door option available
- 30 minute Fire Rated door option available
 Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS





WALNUT



HP12SC; HP12CT

SIZES - CONTRACT SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty» Clear/Frosted toughened glass
- » Double laminated Frosted glass

DOOR DETAIL GLASS OPTIONS





SIZES - SOLID

2032 x 864 x 44mm	2032 x 864 x 44mr
2032 x 813 x 44mm	2032 x 813 x 44mr
1981 x 762 x 44mm	1981 x 762 x 44mr
1981 x 711 x 44mm	1981 x 711 x 44mr
1981 x 660 x 44mm	1981 x 660 x 44mr
1981 x 610 x 44mm	1981 x 610 x 44mr
1981 x 838 x 44mm	1981 x 838 x 44mr

HP1GC - CLEAR

SIZES - CLEAR

SIZES - FROSTED

HP1GF - FROSTED

032 x 864 x 44mm
032 x 813 x 44mm
981 x 762 x 44mm
981 x 711 x 44mm
981 x 660 x 44mm
981 x 610 x 44mm
981 x 838 x 44mm



- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

HP16G - UNGLAZED


SIZES - UNGLAZED FD30

WALNUT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 073 PAGE 072

 ∞



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

SIZES - SOLID / FD30 SIZES - UNGLAZED/FD30 SIZES - CONTRACT


032 x 864 x 44mm	2032 x 864 x 44mm	2032
032 x 813 x 44mm	2032 x 813 x 44mm	2032
981 x 762 x 44mm	1981 x 762 x 44mm	1981
981 x 711 x 44mm	1981 x 711 x 44mm	1981
981 x 838 x 44mm	1981 x 838 x 44mm	1981

HP18



HP18G - UNGLAZED

32 x 864 x 44mm 32 x 813 x 44mm 81 x 762 x 44mm 81 x 711 x 44mm 81 x 838 x 44mm



- » Real American walnut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM2

WALNUT

NM2G - UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm


PAGE 075 PAGE 074





- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

DOOR DETAIL









SPECIFICATIONS

SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT SIZES - CLEAR

HP24

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

HP24GC - CLEAR

WALNUT







HP35GF - FROSTED

2

DOOR DETAIL



» Clear/Frosted toughened glass



GLASS OPTIONS

SPECIFICATIONS



SIZES - SOLID


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Fire door option available (special order)
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99
- » Line bevelled & venice glass available see page 98-99

DOOR DETAIL







GLASS OPTIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - SOLID


NM3

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

NM3G - UNGLAZED

SIZES - UNGLAZED

NM3GB - LINE BEVELLED



- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 98-99

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM4

SIZES - UNGLAZED

NM4G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm WALNUT

PAGE 081 PAGE 080



- » Crown cut veneer
- » Solid core

FEATURES

- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty» Clear bevelled toughened glass









SPECIFICATIONS

SIZES - SOLID FD30

NM5

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 686 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - BEVELLED

NM5GB - BEVELLED


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm





WALNUT

NM6



FEATURES

» Real American walnut veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass

DOOR DETAIL




GLASS OPTIONS



NM6GC - CLEAR

NM6GF - FROSTED

SIZES - CLEAR	SIZES - FROSTED
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 660 x 44mm	1981 x 660 x 44mm
1981 x 610 x 44mm	1981 x 610 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm



- » Real American walnut veneer
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass

DOOR DETAIL



GLASS OPTIONS



NM9GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 085 PAGE 084

WALNUT



FEATURES

» Real American walnut veneer

» Crown cut veneer

- » Solid core
- » Prefinished
- Covered by the Deanta 10 year manufacturers warrantyGlazing options see page 98-99

DOOR DETAIL





GLASS OPTIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - SOLID

RB7 - SOLID

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

RB7G - UNGLAZED



Flush in prefinished walnut. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available

» Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS

FINISHES AVAILABLE



WALNUT

FLUSH

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 2032 x 923 x 44mm

PAGE 087 PAGE 086

FINISHES AVAILABLE Covered by the Deanta 10 year manufacturers warranty High gloss finish HP30

FEATURES

- » Dark Grey Ash
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available

GLASS OPTIONS

HP30GC - CLEAR

DOOR DETAIL



SPECIFICATIONS



SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

202

100

PAGE 088

ASH





- » Wenge crown cut veneer
- » Solid core

FEATURES

» Prefinished

DOOR DETAIL

- 30 minute Fire Rated door option available
 Covered by the Deanta 10 year manufacturers warranty
 High gloss finish

GLASS OPTIONS

SPECIFICATIONS





SIZES - SOLID FD30

HP31

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CLEAR

HP31GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm WENGE

PAGE 092





VR1

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR2

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR3

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR4G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS





VR2G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS











VR20G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS


















GLASS INTUMESCENT FIRE SEAL

Glass Intumesant Fire Seal

Glazing Panels, Intumesant fire resistant seals are also used as part of a glazed system which secures the seals, Fire rated glass to be installed also available from suitable glazers.



Glass Intumesant Fire Seal

Door Gap must be between 2mm - 3mm. Intumesent Fire seals must be inserted to the frame, a combined smoke and fire seal is best recommended commonly known as a Brushed Seal.



SS / BRUSHED SEAL fire + smoke seal




























SOLID CORE DOOR

solid wood inlaid, v-groove sanded



CONTRACT DOOR

MDF face, v-groove sanded, stained to tone with wood







HP18 Oak Page: 015



HP24 Oak Page: 019



HP35 Oak Page: 025



CT

HP12 Primed Page: 045







HP12 Walnut Page: 071



HP18 Walnut Page: 074



HP24 Walnut Page: 077



HP35 Walnut Page: 079






















Luma





Luma























Flora



WM4G Primed

Bevelled



Flora











NM4G Walnut

NM4G Walnut Flora

NM4G Walnut Luma

NM3G Walnut Line Bevelled Venice

RB7G Walnut Venice

Bevelled











NM3G Primed

Venice



NM3G Primed

Line Bevelled



Bevelled

















WELLS



Oak Primed

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 110mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



GEORGIAN





Oak

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

Primed



ULYSSES



FEATURES

» Available in White Primed



Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Skirting: 5.4M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

ELIZABETHAN



FEATURES

» Available in Prefinished Oak



Oak

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

MOULDED





Oak

Walnut

FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 3.66M x 145mm x 18mm
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)











SHAKER



FEATURES

» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



VICTORIANA



FEATURES


» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.66M x 180mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 100mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



HALF SPLAYED



FEATURES


» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



TUDOR



FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 5.4M x 145mm x 18mm, Skirting: 3.6M x 145mm x 18mm
- » Architrave: 80mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



eatured door: NM5 Walnut Featured skirting and architrave - Victoriana Primed

EASY-FIT

deanta

Deanta Doors have a new innovative range of Easy-Fit Skirting & Architrave.

The Easy-Fit range will also be coming to the Oak & Walnut range of Skirting & Architrave.



SKIRTING:

Excess plaster gathering in the corners, with the chamfer at the bottom of our easy fit skirting, this is no longer an issue.



ARCHITRAVE:

Sometimes the plaster and door frame might not line up, with the 70mm x 2mm rebate at the back of the architrave you will get a smoother finish every time.

EASY-FIT HALF SPLAYED



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 145mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT WELLS



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm
- » Architrave: 110mm x 18mm



EASY-FIT GEORGIAN



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 144mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT SHAKER



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 147mm x 16mm
- » Architrave: 80mm x 16mm



EASY-FIT TUDOR



FEATURES

» Prefinished

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 80mm x 18mm



EASY-FIT ULYSSES



FEATURES

» Prefinished

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm



EASY-FIT VICTORIANA



FEATURES » White Primed


SIZES

- » Skirting: 3.6M x 180mm x 18mm
- » Architrave: 100mm x 18mm





PRIMED CORNER BLOCKS







FEATURES

» All Designs White Primed

SIZES

» All Designs: 114 x 114 x 24mm






CBPG001

0

CBPG002





CBPG004







CBPG008 CBPG010

ADJUSTABLE DOOR FRAMES & CASINGS

Our removable stop frames and adjustable door casings (frames and architraves) have been specially designed to make life easier for you. Choosing one of our adjustable door casings means that installation is a breeze, and one of our kits will fit just about any wall you have in your home.

These casings simplify the process of fitting door frames and architraves and give a wonderful finish with moulded and shaker style architrave

Adjustable frames available in 98mm and 125mm versions in Oak or Walnut, Half Splayed (oak only), Shaker or Moulded Adjustable Architrave.

FEATURES


- » Available in Prefinished Oak & Walnut
- » Available in Shaker, Moulded or Half Splayed (oak only)

SIZES

- » 98mm frame (adjusts up to 125mm)
- » 125mm frame (adjusts up to 155mm)








DOUBLE DOOR DIVIDERS









FEATURES

» Available in Prefinished Oak & Walnut & White Primed



2200 x 52 x 32mm

STANDARD DOOR FRAME

Our standard door frame features a removable stop allowing you to cover installation markings on the main frame giving a clean and professional finish. Our door frames are solid engineered timber with a veneer wrap finish and is also available as solid engineered oak with veneer






FEATURES


- » Available in Prefinished Oak, Walnut & White primed
- » Solid engineered timber

SIZES

2100M x 1100 x 133 x 42mm 2077M x 1100 x 133 x 42mm 2100M x 1100 x 100 x 42mm 2077M x 1100 x 100 x 42mm







HOCKEY STICK DOOR FRAME





FEATURES

» Available in Prefinished Oak & White Primed

SIZES

2250 x 31 x 20mm

PRIMED WINDOW BOARD





SIZES

2400 x 219 x 25mm



REBATED DOOR FRAMES

Primed

Oak



Primed

FEATURES


NEW FOR 2019


- » Available in Prefinished Oak & White primed
- » Solid engineered timber
- » FD30 Fire rated door frame

SIZES

2100M x 1100 x 133 x 42mm 2077M x 1100 x 133 x 42mm 2100M x 1100 x 100 x 42mm 2077M x 1100 x 100 x 42mm







DOOR FRAME FILLER





FEATURES

- » Available in Prefinished Oak & Walnut
- » Useful when you need to build out a Door Frame

HEEL BLOCKS VICTORIANA

Walnut

SIZES

2100 x 200 x 15mm

HEEL BLOCKS WELLS





» Available in Prefinished Oak &

Walnut & White Primed

Oak

SIZES


2500 x 124 x 24mm

FEATURES

Walnut








FEATURES

Oak

» Available in Prefinished Oak & Walnut & White Primed

SIZES

2100 x 110 x 24mm



déanta WALL PANELLING

New to the Deanta range "The Edwardian" wall panelling. Really revamp your room with Deantas' simple, elegant and affordable wall panelling. Not only is "The Edwardian" wall panelling inexpensive and can save you considerable time, it is also easy to install. Complements the Deanta range of quality doors, skirting, architrave and door hardware.

Single pack of wall panelling comes with:

- 1 x (2420mm x 36mm x 30mm) length of large (top) beading
- 4 x (2420mm x 80mm x 18mm) lengths of board panelling
- 4 x (2420mm x 28mm x 30mm) lengths of (inside) beading

For further information visit our website at: www.deantadoors.ie or please contact your local stockist.








We have sensor lighting throughout or site to ensure that no power is wasted when not in use.





We use mains water dispensers to reduce the use of plastic bottles and help the environment.






BEING RESPONSIBLE

In an age where there is continued depletion of natural resources, companies throughout the world have shifted priorities to become more environmentally aware.

At Deanta, we have realised how our operations can impact the environment so we are investing heavily to become more environmentally responsible. Throughout the business we are working to reduce our carbon footprint, helping to protect our planet and ensuring we have a positive impact on our society, economy and environment. We are always looking at ways we can reduce, reuse and recycle the resources we use.

We apply environmentally friendly practises into our office and the supply chain:

- » 98% of all our onsite waste is recycled. We have recycling bins throughout the site including in our staff canteens, to make sure all Deanta employees are doing their bit for the planet.
- » We have installed solar panels on the roof of our building which creates enough energy to make our building self-sustainable for seven months.
- » All our timber is sourced from North American forests with sound environmental forest management schemes. These schemes ensure the forests biodiversity, productivity and ecological processes as well as protecting the rights of local people.
- » We have sensor lighting and taps throughout our site to help us ensure that no power or water is wasted when not in use.
- » We use mains water dispensers to reduce the use of plastic bottles and help the environment.



THE DEANTA DIFFERENCE


With an established reputation for commitment to innovative design, unsurpassed craftsmanship and excellent client service, Deanta is committed to standing out from the crowd in the door industry.

At Deanta, we manufacture all of our doors in our very own manufacturing facility. This not only allows us to control stock supply but it also allows us to have full control of the quality control process to ensure every door that leaves our factory is of the very highest standard. We have rigorous quality control procedures in place to check every single door and we stand by this with a limited 10 Year Manufacturer Warranty on all of our doors.

Our team of highly skilled craftsmen, with the help of the latest state-of-the-art technology, achieve a perfect finish to an exceptionally high standard and lasting quality to every single door. Our team are able to offer bespoke doors to meet your exact requirements – in any size and any finish. For more information about our bespoke design service please refer to page 7.

Above all else, what truly makes us stand out from the rest is our customer care. We truly care about the experience our customers have when they deal with us. We welcome feedback and continually strive to offer unsurpassed customer care. We are a company that gives solutions, not problems.

Deanta has over twenty-five years of experience in the building and design industry which we strongly feel is fundamental in building strong, sound working relationships with our clients who are mostly door merchants – and to their customers – designers, architects and builders. That's why they keep coming back to us.



TERMS & CONDITIONS

We offer a limited ten year warranty on all our doors. Any Deanta door that warps* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DEANTA DOOR.

- » All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after hanging.
- » All doors must be measured individually when having glass fitted. Deanta doors are hand-assembled, and as such, we cannot guarantee each aperture is the exact same size. We recommend you use a qualified glass
- » Doors must be stored horizontally on a clean, dry, flat and level surface.
- » Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be recorded.
- » For doors to acclimatize, they should be left in the house prior to installation for at least 21 days with the ambient temperature gradually increased over this period.
- » Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.
- » Take no more than **10mm** (30mm for FD30) off the width and height of doors in equal amounts on all edges. Planed edges of prefinished doors must be refinished using three coats of internal wood finish.
- » We recommend the use of three sets of hinges per door.

- » We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Deanta for recommended brands.
- » Should a door be removed from it original packaging. It can not be returned.
- » Should a door be hanged, it can not be returned.

UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILTY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DEANTA DOOR WILL VOID THE WARRANTY.

*Warp/bow/cup/twist (as set out in the relevant Building Standards) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which itis hung.

*FIRE DOOR DISCLAIMER - Doors with a fire door symbol are only available in the solid and unglazed options.



*TOUGHENED GLASS DISCLAIMER - In accordance with BS EN 12150 and BS EN 12600 we use toughened glass in all our glass doors. Toughened glass is glass that has gone through controlled thermal processes to increase its strength compared to normal glass. In the event of an abnormal impact to toughened glass, the glass shatters into small fragments instead of sharp shards making it safer and less likely to cause injury.

For more information on our warranty please visit our website at: www.deantadoors.ie.

STOCKISTS

We have stockists throughout the island of Ireland. To find your nearest retailer please visit our website.





YOUR DOOR. YOUR SIZE. YOUR STYLE. OUR PLEASURE.

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: www.deantadoors.ie for more information.



Deanta - Kerry

Curraheen, Tralee, Co. Kerry

Deanta - Dublin

2 Cloverhill Industrial Estate, Clondalkin, Dublin 22

T: +353 (0) 66 71 94828 E: info@deantadoors.ie W. www.deantadoors.ie Local Stockist: